

4
ff

M

Souls, by no 1224a
284013





MILLER (John Frederick; draughtsman to Sir Joseph Banks) [ICONES ANIMALIUM ET PLANTARUM, painted, engraved, and published by the Author] (6233), containing 9 pp. of text and 54 large and FINELY COLOURED PLATES of plants, birds, quadrupeds, etc., roy. folio, Russia, 1776-82, £3. 3s

An incomplete copy, lacking the title-page, last page of text, and the last six plates.

original subscribers' copy of the parts 1-9 (out of 10), from the Wilfred Lawson Library.

8 Jan. 1921

C Davies Sherborn




The only other copy known to me is in the Banksian (B. M. 460. 9-13). It consists of 6 pts (6 leaves text + 36 pls), the 26th text + 7 pls. of botany bound up with it do not belong to the "Icones" proper. C.D.S.

11.1.21



Miller (J.F.)

K



T A B U L A I.

A. LOXIA-orix.	Lin. Sys. Nat. Classis VI.	Genus CIX.	Mantiffa 527.
Fig. 1. ANTHOLYZA, Cunonia.	Lin. Spe. Plan. Classis III.	Ordo I.	Spec. 2. Mantiffa 320.

T A B U L A II.

A. LOXIA-coronata	Lin. Sys. Nat. Classis VI.	Genus CIX.	Spec.
Fig. 1. ALSTROMERIA-ligta,	Lin. Spe. Plan. Classis VI.	Ordo. I.	Spec. 2.
2 Flos (3 Stamina. 4 Stamen. Lente Auclum) 5 Sigma,			

T A B U L A III.

A. LOXIA-longicauda.	Lin. Sys. Nat. Classis VI.	Genus CIX.	Spec.
Fig. 1. GNAPHALIUM. eximium.	Lin. Spe. Plan. Classis XIX.	Ordo II.	Mantiffa 573.

T A B U L A IV.

A. PSITTACUS-atricapillus.	Lin. Sys. Nat. Classis II.	Genus XIV.	Spec.
Fig. 1. CHELONE-penstemon.	Lin. Spe. Plan. Classis XIV.	Ordo I.	Spec. 3.
2 Calyx. 3 Corolla. 4 Corolla fecta. 5 Stamina. 6 Germen.			

T A B U L A V.

A. PSITTACUS-aurantius.	Lin. Sys. Nat. Classis II.	Genus XLV.	Spec.
Fig. 2. ILLICIUM-floridanum.	Lin. Spe. Plan. Classis XIII.	Ordo VII.	Mantiffa 167.
2 Calyx. (3 Stamina. 4 Stamen Lente Auclum.) 5 Germen. 6 Petala. 7 Pericarpium. 8 Semen.			

T A B U L A VI.

A. UPUPA-promerops?	Lin. Sys. Nat. Classis II.	Genus LXIV.	Spec.
Fig. 1. ERYNGIUM-alpinum.	Lin. Spe. Plan. Classis V.	Ordo I.	Spec. 6.
2 Flos. 3 Lente Auclum. (4 Germen. 5 Petala.) 6 Stamen. 7 Lente Auclum.			





Loria or
Antholyza. Canonia





Printed & Engraved and Published by J. P. Miller according to the Act 1770

Lysia coronata.
Astromeria ligta.





Loxia longicauda
Gnaphalium eximium.





Painted Engraved and Published by J. E. Muller according to the det 1776

Isillenus atricapillus.
Chelone, penstem m.





Painted, Engraved and Published by J. F. Miller according to the del. 1770

Saltator aurantius
Mimulus floridanum.





Urua promerops,
Crynaum . alpinum



Pt. 2

T A B U L A VII.

Fig. 1. BARRINGTONIA speciosa.

Classis XIII. Ordo I. Forsteri nova genera, P. 75. Habitat in India
[orientali, & Infulis Maris Pacifici.

2 Calyx. 3 Pistillum et nectarium. 4 Eadem dissecta. 5 Stamen. 6 Idem auctum. 7 Pistillum.

T A B U L A VIII.

Fig. A. AMPELIS carolinensis.

Lin. Syft. Nat.

Classis VI. Genus CVIII.

Habitat in America septentrionali.

Fig. 1. AMARYLLIS crispa.

Lin. Spec. Plan.

Classis VI. Ordo I.

2 Stamina. 3 Stamen idem auctum. 4 Pistillum.

T A B U L A IX.

Fig. 1. ANTHOLYZA æthiopica.

Lin. Spec. Plan.

Classis III. Ordo I.

Habitat in Æthiopia.

2 Floris inferior facies. 3 Floris superior facies. 4 Idem dissectus. 5 Stamina. 6 Stamen auctum. 7 Pistillum.

T A B U L A X.

Fig. A. CERVUS Alces.

Lin. Syft. Nat.

Classis V. Genus XXIX.

Habitat in Canada.

T A B U L A XI.

Fig. A. B. LACERTA Chamælion.

Lin. Syft. Nat.

Classis I. Genus CXXII.

Habitat in Africa, Asia.

C. Linguae extensio adcaptandam prædam.

T A B U L A XII.

Fig. A. LARUS albus.

Lin. Syft. Nat.

Classis III. Genus LXXVI.

Habitat in Regionibus septentrionalibus.





Viro. Honorabili et. Nobilissimo
 Iudicibus Regis Principatus
 BARRINGTONIA



(DAINES BARRINGTON,)
 Walther, hanc. tabulam
 SPECIOS, E.D.D.D.

(Carolus Linnaeus)
 Johannis. Fredericus. Miller.













United Figures A and Published according to the Act No. 14. Miller 1898





Sacerta chameleon.





Painted, Engstrand, and Puckard, according to the Art by J. A. Miller 1776



T A B U L A XIII.

A. LEMUR murinus.	LIN: Sys: Nat.	Classis I.	Genus III.	Habitat in Madagascar.
B. Idem Animal dormiens.				

T A B U L A XIV.

A. STRUTHIO Casuarius.	LIN. Sys. Nat. 265	Classis IV.	Genus XCVI.	Habitat in Asia, Sumatra, Molucca, Banda.
------------------------	--------------------	-------------	-------------	--

T A B U L A XV.

A. B. MUSCICAPA striata, Mas. & Femina.	LIN. Sys. Nat.	Classis VI.	Genus CXIII.	Habitat ad fretum Hudsonis.
C. AMPELIS cristata.	LIN. Sys. Nat.	Classis VI.	Genus CVIII.	Habitat in America.

T A B U L A XVI.

A. COLUMBA coronata.	LIN. Sys. Nat.	Classis VI.	Genus CIV.	Habitat in Capite bonæ spei.
----------------------	----------------	-------------	------------	------------------------------

T A B U L A XVII.

A. FALCO Plancus.	LIN. Sys. Nat.	Classis I.	Genus XLII.	Habitat in Tierra del Fuego.
-------------------	----------------	------------	-------------	------------------------------

T A B U L A XVIII.

A. FALCO fuscus.	LIN. Sys. Nat.	Classis I.	Genus XLII.	Habitat in Greenlandia.
------------------	----------------	------------	-------------	-------------------------



B



A















Painted Pigeon and Pouter, by J. H. Miller according to Dr. A. J. 1777











T A B U L A XIX.

Fig. A. CANIS Hyæna.	LIN. Syft. Nat. 58.	Classis III.	Genus XII.	Spec. 3.	Habitat in Asia.
B. CANIS Lupus niger.	LIN. Syft. Nat. 58.	Classis III.	Genus XII.	Spec. 2.	Habitat ad fretum Hudsonis.

T A B U L A XX.

Fig. A. VIVERRA tetradactyla.	LIN. Syft. Nat. 63.	Classis III.	Genus XIV.	Spec.	Habitat ad C. B. Spei.
-------------------------------	---------------------	--------------	------------	-------	------------------------

T A B U L A XXI.

Fig. A. PARUS hudsonicus.	LIN. Syft. Nat.	Classis VI.	Genus CXVI.	Spec.	Habitat in America Sept.
B. FRINGILLA hudsonica.	LIN. Syft. Nat.	Classis VI.	Genus CXII.	Spec.	Ibid.
C. EMBERIZA leucophrys.	LIN. Syft. Nat.	Classis VI.	Genus CX.	Spec.	Ibid.

T A B U L A XXII.

Fig. A. PLATALEA Leucorodia.	LIN. Syft. Nat. 231.	Classis VI.	Genus LXXX.	Spec. 1.	Habitat in Europa, nidificat in arboribus.
------------------------------	----------------------	-------------	-------------	----------	--

T A B U L A XXIII.

Fig. A. APTENODYTES patagonica.	LIN. Syft. Nat.	Classis I.	Genus !.	Spec.	Habitat in Mari antarctico.
---------------------------------	-----------------	------------	----------	-------	-----------------------------

T A B U L A XXIV.

Fig. A. CUCULUS indicator.	LIN. Syft. Nat. 168.	Classis II.	Genus LVII.	Spec.	Habitat ad C. B. Spei.
B. FRINGILLA cyanocapilla.	LIN. Syft. Nat. 317.	Classis VI.	Genus CXII.	Spec.	Habitat in Senegal.

1881

Received of the Hon. Secy. of State
for the Interior

1000

1882

Received of the Hon. Secy. of State
for the Interior

1000

1883

Received of the Hon. Secy. of State
for the Interior

1000



1884

Received of the Hon. Secy. of State
for the Interior

1885

Received of the Hon. Secy. of State
for the Interior

1886

Received of the Hon. Secy. of State
for the Interior

1000







Tierria tetradactyla.













Aptenodytes patagonica.





Cuculus, indicator.
Tringilla, cyanocapilla.



T A B U L A XXV.

- Fig. 1. BRUCEA antidyfenterica. LIN. Spec. Plan. Classis XXII. Ordo IV. Spec. Habitat in Africa.
 2. Flos masculus. 3. Idem auctus. 4. Calyx. 5. Idem auctus. 6. Stamina magnitudine aucta. 7. Stamen singulum auctum.
 8. Nectarium magnitudine auctum. 9. Flos femineus. 10. Idem auctus. 11. Calyx. 12. Idem auctus. 13. Germen cum
 stylis magnitudine auctum. 14. Nectarium magnitudine auctum.

T A B U L A XXVI.

- Fig. A. TESTUDO fulcata. LIN. Syft. Nat. Classis III. Ordo I. Genus CXIX. Spec. Habitat in India occidentali.
 B. Pars inferior. C. Caput magnitudine naturali.

T A B U L A XXVII.

- Fig. A. HOMO Lar. LIN. Syft. Nat. Classis I. Genus I. Spec. Habitat in China.
 B. Caput magnitudine naturali.

T A B U L A XXVIII.

- Fig. A. FALCO serpentarius. LIN. Syft. Nat. Classis II. Ordo I. Genus XLIV. Spec. 1. Habitat Cap. B. Spec.
 B. Caput magnitudine naturali.

T A B U L A XXIX.

- Fig. A. PSATTACUS guineensis. LIN. Syft. Nat. Classis II. Ordo II. Genus XLV. Spec. Habitat in Guinea.



T A B U L A XXX.

- Fig. A. TROCHILUS gularis. LIN. Syft. Nat. Classis II. Ordo II. Genus LXVI. Spec. Habitat in India orientali.
 B. FRINGILLA torquata. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. Ibid.
 C. MOTACILLA gularis. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXIV. Spec. Habitat in America meridionali.














.4 no Lai





Falco serpentarius.





Psittacus guineensis





Trochilus, gularis,
Fringilla, torquator,
Molacella, gularis,



pt 6
T A B. XXXI.

Fig. A. JERBOA capensis. LIN. Syft. Nat. Classis IV. Genus : Spec. Habitat ad C. B. Spec.
B. Caput magnitudine naturali.

T A B. XXXII.

Fig. A. LEMUR bicolor. LIN. Syft. Nat. Classis I. Genus III. Spec. Habitat in America meridionali.

T A B. XXXIII.

Fig. A. OTIS indica. LIN. Syft. Nat. Classis IV. Genus XCV. Spec. Habitat in India orientali.
B. Caput magnitudine naturali.

T A B. XXXIV.

Fig. A. APTENODYTES magellanica. LIN. Syft. Nat. Classis III. Genus . Spec. Habitat in terra magellanica.


T A B. XXXV.

Fig. A. ARDEA nœvia. LIN. Syft. Nat. Classis IV. Genus LXXXIV. Spec. Habitat in America meridionali.

T A B. XXXVI.

Fig. A. ARDEA torquata. LIN. Syft. Nat. Classis IV. Genus LXXXIV. Spec. Habitat in America meridionali.





Gerboa capensis.





Prosimia occidens (Brisson) 1758, p. 11, Pl. I.

Lemur, bicolor,





Qu. indica.





Sphenodytes magellanicus





Ardea, naevia





Published May 10th 1792. by J. E. Miller

Ardea, torquata



167

175

T A B U L A XXXVII.

Fig. 1. CAROLINEA princeps. LIN. Spec. Plant. Classis XVI. Ordo VII. Spec. Habitat in Mexico, Surinamo, Guineâ, St. Vincent.
2. Calyx. 3 Stigma, 5 Stamina, 6 Stamen fingulum magnitudine auctum, 7 Idem auctus, 8 Folium magnitudine naturali.

T A B U L A XXXVIII.

Fig. A. MOTACILLA thoracica. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXIV. Spec. Habitat in India orientali.
Fig. 1. Heliconia—marantifolia. LIN. Spec. Plan. Classis V. Ordo I. Spec. Habitat in St. Vincent.
2. Flos, 3 Stigma, 4 Stamina, 5 Germen, 6 Nectarium.

T A B U L A XXXIX.

Fig. A. FELIS — capensis. LIN. Syft. Nat. Classis I. Ordo III. Genus . Spec. Habitat ad C. B. Spei.
B. Caput magnitudine naturali.

T A B U L A XL.

Fig. A. APTENODYTES — antarctica. LIN. Syft. Nat. Classis II. Ordo III. Genus . Spec. Habitat in Antartico.

T A B U L A XLI.

Fig. A. CORACIAS — vericolor. LIN. Syft. Nat. Classis II. Ordo II. Genus . Spec. Habitat in Surinamo.

T A B U L A XLII.

Fig. A.B. FRINGILLA brevicola, mas & femina. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. Habitat in Zeylonâ.
C. Fringilla—atrocephala. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. Habitat in Americâ meridionali.

BRITISH MUSEUM

[Faint, illegible text]

BRITISH MUSEUM

[Faint, illegible text]

BRITISH MUSEUM

[Faint, illegible text]





Carolinea princeps.









T. tigris





Sphenodytes antarctica.





Boracius versicolor.





a. l. Fringilla brevicauda.
Fringilla, atrocephala.



165

1785

T A B U L A XLIII.

Fig. 1. HIBISCUS cannabina.	LIN. Spec. Plant.	Classis XVI.	Ordo VII.	Spec. habitat in India orientali.
2. Calyx. 3 Stamina.	4 Stamina magnitudine aucta.		5 Stigma.	

T A B U L A XLIV.

Fig. 1. ANTIRRHINUM—quadrifolium.	LIN. Spec. Plant.	Classis XIV.	Ordo II.	Spec. habitat in India orientali.
2. 3 Flos, 4 Nectarium, 5 Stamina,	6 Stamen,	7 Stigma,	8 Folia radicalia.	

T A B U L A XLV.

Fig. 1. ARISTOLOCHIA—hirsuta	LIN. Spec. Plant.	Classis XX.	Ordo V.	Spec. XX. habitat in India orientali.
2. Flos. 3 Flos.				

T A B U L A XLVI.

Fig. A. SCIURUS—fulvus.	LIN. Syft. Nat.	Classis I.	Ordo V.	Genus XXVII. Spec. habitat in Americâ meridionali.
-------------------------	-----------------	------------	---------	--

T A B U L A XLVII.

Fig. A. TROCHILUS—maculata.	LIN. Syft. Nat.	Classis II.	Ordo II.	Genus Spec. habitat in Americâ meridionali.
Fig. B. RALLUS—ecaadata.	LIN. Syft. Nat.	Classis II.	Ordo IV.	Genus Spec. habitat in Otabeita.

part of by J. B. Smith to C. C. Cook (Long Papers) 11/1/1894-11/9

T A B U L A XLVIII.

Fig. A. CUCULUS—aurocephalus	LIN. Syft. Nat.	Classis II.	Ordo II.	Genus Spec. habitat in Americâ meridionali.
------------------------------	-----------------	-------------	----------	---









Antirrhinum quadrifidum





Aristolochia hirsuta ?





Sciurus fulvus.





Ardeotis maculatus
Ardeotis maculatus





Cuculus. aurocephalus.



175

T A B U L A XLIX.

Fig. A. APTENODYTES, creftata. LIN. Syft. Nat. Classis II. Ordo III. Genus Spec. habitat Falkland Island.

T A B U L A L.

Fig. A. FRINGILLA, forficata. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. habitat in Zeylonâ.
Fig. B. RALLUS, nigra. LIN. Syft. Nat. Classis II. Ordo IV. Genus Spec. habitat in Otaheitiâ.

T A B U L A LI.

Fig. A. CUCULUS, creftata. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in India orientali.

1766

T A B U L A LII.

Fig. A. PROMEROPS, purpureus. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in India orientali.

T A B U L A LIII.

Fig. A. ORIOLUS, gularis. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in America meridionali.

T A B U L A LIV.

Fig. A. PICUS, quadrimaculata. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in Zeylonâ.

8 JAN. 1921





Arenodytes cristatus





Fringilla perisoreus
Reithus nivalis





Cuculus-creolata





Prioniturus





Oriolus gularis.





Picus quadrimaculatus

107
Black







